

IDEAL-TEK | RED DOT DESIGN AWARD WINNER 2014




reddot award 2014 winner

Statement by Red Dot jury: Ergo-tek has excellent tactile qualities as a result of its high ergonomics and carefully thought-out material textures.

Following the User-Centered Design approach of one of the world's most respected research universities (University of Milan), over a two year period, Ideal-tek gained a full understanding of the needs, wants and frustrations of end users.

Subsequent painstaking attention to detail at every stage of the design process resulted in the creation of the ideal handles. Precision Swiss manufacture provides quality, accuracy and longevity. The addition of Italian design brings beauty and elegance.





2017

The new lighter weight **ERGO-TEK SLIM** range is designed especially for smaller hands while providing the same ergonomic, ESD safety standards, and technical advantages you expect from Ideal-tek.

Upgraded features:

- Revised ergonomic handle to provide enhanced operator comfort and reduce repetitive motion injuries
- Lighter weight
- Better accessibility and visibility in confined areas

With Ergo-tek AND Ergo-tek slim, users are now able to custom fit high precision tools to their personal preference and application. No more, one line fits all!



IDEAL-TEK | TUNGSTEN CARBIDE "BARRACUDA" CUTTERS

Engineered for hard wires

Tungsten carbide blades

81 HRC hardness

Perfect symmetry

Dual leaf springs made of stainless steel

Lap joint with screw to achieve a high level of strength and precision

Nuts made of hardened alloy steel to resist high cutting load

Fine-pitched screw for perfect joint adjustment



IDEAL-TEK | HANDLES

2-Component ESD-safe Ergonomic handles with a soft comfortable gripping surface.

2 sizes: Ergo-tek (E) and Ergo-tek slim (ES)

For every handles production lot ldeal-tek performs the following tests:


- point to point resistance
- surface resistance
- decay time analysis




IDEAL-TEK | APPLICATION

Application of Ideal-tek "barracuda" cutters line:

- Stents
- Braided mesh
- Catheters
- Single/Multiple fliers
- Guide wires
- Lateral/Internal cuts



TUNGSTEN CARBIDE "BARRACUDA" CUTTER LINE




Tungsten Carbide Sharp Tip - Oval Diagonal Cutters

Large Tapered


Tungsten Carbide Sharp Tip - Tapered Diagonal Cutters

Small Tapered & Relieved





Large Tapered & Relieved





Tungsten Carbide Sharp Tip - Tapered & Relieved Diagonal Cutters

E = ERGO-TEK HANDLE **ES = ERGO-TEK SLIM HANDLE**

Art. No.	Туре	Head Shape	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	F[mm]	Cutting Edges	Copper*	Kovar*	Nickel*	Stainless*	Platinum*	Tungsten*	Piano Wire*	NiTinol*
E140STX ES140STX	Small	Oval	125 120	8	10	6.4	-	0.3	Semi-Flush	•	•	•	•	•	•	•	•
E141TX ES141TX	Small	Oval	125 120	10	10	6.4	-	-	Flush	•	•	•	•	•	•	•	•
E141PTTX ES141PTTX	Small	Oval	125 120	8.5	10	6.4	-	-	Flush	•	•	•	•	•	•	•	•
E142TX ES142TX	Small	Oval	125 120	10	10	6.4	-	-	Full-Flush	•	•	•	•	•	•	•	•
E351TX ES351TX	Large	Tapered	123 118	7.5	12.5	6.4	0.7	0.4	Flush	•	•	•	•	•	•	•	•
E351UFTX ES351UFTX	Large	Tapered	123 118	7.5	12.5	6.4	-	0.5	Flush	•	•	•	•	•	•	•	•
E351PTTX ES351PTTX	Large	Tapered	123 118	6.5	12.5	6.4	4.3	-	Flush	•	•	•	•	•	•	•	•
E352TX ES352TX	Large	Tapered	123 118	7.5	12.5	6.4	0.7	0.4	Full-Flush	•	•	•	•	•	•	•	•



* Depending on the wire diameter



TUNGSTEN CARBIDE "BARRACUDA" CUTTER LINE

Small Oval







Large Tapered





Tungsten Carbide Sharp Tip - Tapered Diagonal Cutters

Small Tapered & Relieved





Tungsten Carbide Sharp Tip - Tapered & Relieved Diagonal Cutters

Large Tapered & Relieved







Small Tapered & Angled head 50°







Tungsten Carbide Sharp Tip - Tapered Angled Cutters

E = ERGO-TEK HANDLE ES = ERGO-TEK SLIM HANDLE

Art. No.	Туре	Head Shape	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	F[mm]	G[mm]	Cutting Edges	Copper*	Kovar*	Nickel*	Stainless*	Platinum*	Tungsten*	Piano	NiTinol*
E541TX ES541TX	Small	Tapered & Relived	125 120	8.5	10	6.4	0.7	0.3	-	Flush	•	•	•	•	•	•	•	•
E542TX ES542TX	Small	Tapered & Relived	125 120	8.5	10	6.4	0.7	0.3	-	Full-Flush	•	•	•	•	•	•	•	•
E551TX ES551TX	Large	Tapered & Relived	125 120	8	12.5	6.4	0.7	0.3	-	Flush	•	•	•	•	•	•	•	•
E552TX ES552TX	Large	Tapered & Relived	125 120	8	12.5	6.4	0.7	0.3	-	Full-Flush	•	•	•	•	•	•	•	•
ES248TX	Small	Tapered & Angled head 50°	121	13	10	6.4	0.15	-	8.30	Full-Flush	•	•	•	•	•	•	•	•

^{*} Depending on the wire diameter



Mail address

Ideal-Tek SA · p.o. box 17 6830 Chiasso · Switzerland

Shipping address

Ideal-Tek SA · via Motta 4 6828 Balerna · Switzerland

Phone +41 91 683 32 29 +41 91 683 03 71 Fax E-mail info@ideal-tek.com Web www.ideal-tek.com



